

Desktop Waterjet CNC Cutting Machine



OVERVIEW

Now cut anything with digital precision using high pressure water. A compact waterjet for every workshop.

WAZER has two main components:

- WAZER itself, which contains the Cut Bed and Control Panel.
- The Pump Box, which pressurizes water and provides the energy for cutting.

Once initial setup is performed, the user will primarily interact with WAZER to cut Materials and perform basic maintenance related tasks. The two components are connected to one another via a High-Pressure Hose and a Signal Cable.

CUTTING MATERIALS

- Metals

Aluminum 6061, Aluminum 7075, Copper 110, Stainless Steel 316, Stainless Steel 440C, Steel 01, Steel 1008, Steel 1018, Steel 4130, Titanium G5

- Plastics & Rubbers

Acrylic, HDPE, Neoprene 50A, Polycarbonate, Polyurethane 60A, Silicone 50A

- Ceramics & Stone

Glass Borosilicate, Glass Soda Lime, Tile Ceramic, Tile Porcelain, Marble

- Other

Carbon Fiber

PRODUCT FEATURES



COMPACT & CONTAINED

Compact design makes WAZER clean, safe and quite to use.

ONBOARD CONTROLS

On-screen prompts to prepare your file for cutting. Arrow keys for jogging.

EASY HEIGHT ADJUSTMENT

Cutting head manually adjusts and locks in place.

STANDARD OUTLET

Just plug WAZER into a regular outlet (220V).

INTEGRATED ABRASIVE STORAGE

Store up to 40lbs of abrasive, 2hrs of cutting, inside WAZER.

CONVENIENT ABRASIVE REMOVAL

Used abrasive flows into containers for easy removal. Normally, you'd have to drain the tank and shovel it by hand!

TECHNICAL PARAMETERS

SPECIFICATION	Details
Size and Weight	
WAZER Desktop Size	34" x 25" x 21" (864 mm x 635 mm x 534 mm)
WAZER Size with Stand Leg Accessory	34" x 25" x 47" (864 mm x 635 mm x 1194 mm)
WAZER Empty Weight	110 lbs. (50 kg.)
WAZER Loaded Weight	300 lbs. (136 kg.)

Pump Box Size	21" x 15" x 11" (533 mm x 355 mm x 280 mm)
Pump Box Weight	45 lbs. (21 kg.)
Cutting	
Cutting Area	12" x 18" (305 mm x 460 mm)
Cut Bed Size	13" x 19" (330 mm x 485 mm)
Cut Width (kerf)	1/16" (1.5 mm)
Water	
Water Source	Tap Water
Water Draining	Standard Water Drainage
Input Water Filter	100 mesh
Water Recirculation	Not Recommended
Abrasive	
Abrasive Flow Rate	0.33 lbs./min
Abrasive Capacity	40 lbs. (18 kg.)
Abrasive Type	Garnet 80 mesh
Gantry	
Maximum Linear Speed	75 ipm (1905 mm/min)
Gantry Positional Precision	0.003" (0.08 mm)
Power	
WAZER	220-240VAC; 50 Hz; 2A; 250W
Pump Box	220-240VAC; 50 Hz; 6A; 1500 W
Miscellaneous	
Compatible File Types	.dxf, .svg
Connectivity	SD Card
Wam Software - Browser Compatibility	Chrome, Internet Explorer, Safari, Firefox

PROFESSIONAL GRADE FABRICATION

